EUROPEAN PATENT OFFICE

Patent Abstracts of Japan

PUBLICATION NUMBER

: 2001100821

PUBLICATION DATE

: 13-04-01

APPLICATION DATE

: 30-09-99

APPLICATION NUMBER

: 11277847

APPLICANT:

JAPAN SCIENCE & TECHNOLOGY

CORP;

INVENTOR:

SATO TOMOMASA;


INT.CL.

G05B 19/19 B25J 13/08

TITLE

METHOD AND DEVICE FOR

CONTROLLING MANIPULATOR



ABSTRACT:

PROBLEM TO BE SOLVED: To provide a manipulator control method capable of efficiently assembling or arranging an object with high accuracy, when performing work which cannot be directly manually executed, such as manipulation of a fine object under a microscope while using a manipulator.

SOLUTION: Concerning the manipulator control method for moving or working a manipulation object, it is calculated how the image of the manipulation object in an ideal state after manipulating work is picked up by an image-pickup device based on a data base recording the state of the manipulation object and the ideal state after the manipulating work, the image picked up with the image-pickup device and an image based on the same calculation are displayed while being overlapped on the same picture, and the manipulator is controlled so as to match the real image and the calculated image.

COPYRIGHT: (C)2001, JPO

DELPHION

PRODUCTS

Names of Language





No active trail

My Account

Search: Quick/Number Boolean Advanced Derwent

Help

The Delphion Integrated View

Buy Now: PDF | File History | Other choices

View: INPADOC | Jump to: Top

Tools: Add to Work File: Create new Work File Add

Go to: Derwent

Email this to a friend

▼Title: JP2001100821A2: METHOD AND DEVICE FOR CONTROLLING MANIPULATOR

Manipulator control method for processing micro/large size object, involves adjusting manipulator to adjust actual image of target object to be same as that of calculated image Derwent Record

® Country: JP Japan

A2 Document Laid open to Public inspection i

§ Inventor: MIYAZAKI HIDEKI;

SATO TOMOMASA;

JAPAN SCIENCE & TECHNOLOGY CORP

News, Profiles, Stocks and More about this company

Published / Filed: 2001-04-13 / 1999-09-30

Application JP1999000277847

Number:

§ IPC Code: Advanced: **B25J 13/08**; **G02B 21/32**; **G05B 19/19**;

IPC-7: **B25J 13/08**; G05B 19/19

Priority Number: 1999-09-30 JP1999000277847

manually executed, such as manipulation of a fine object under a high accuracy, when performing work which cannot be directly method capable of efficiently assembling or arranging an object with PROBLEM TO BE SOLVED. To provide a manipulator control

recording the state of the manipulation object and the ideal state work is picked up by an image-pickup device based on a data base image of the manipulation object in an ideal state after manipulating microscope while using a manipulator. moving or working a manipulation object, it is calculated how the SOLUTION: Concerning the manipulator control method for



after the manipulating work, the image picked up with the imagepickup device and an image based on the same calculation are
displayed while being overlapped on the same picture, and the
manipulator is controlled so as to match the real image and the
calculated image

calculated image.
COPYRIGHT: (C)2001,JPO

Buy Now: Family Legal Status Report

Family:

Buy PDF	Publication Pub. Date Filed	Pub. Date	Filed	Title
团	TW0468055B	2001-12-11	2000-08-05	2001-12-11 2000-08-05 METHOD AND DEVICE FOR CONTROLLING MANIPULATOR
团	JP2001100821A2	2001-04-13	1999-09-30	1 JP2001100821A2 2001-04-13 1999-09-30 METHOD AND DEVICE FOR CONTROLLING MANIPULATOR
2	2 family members shown above	own above		

None







Nominate this for the Gallery...



Forwered by Verity

Copyright © 1997-2006 The Thomson Corporation

Subscriptions | Web Seminars | Privacy | Terms & Conditions | Site Map | Contact Us | Help